

Date 1/9/06

## PROFESSIONAL PORTABLE

## SUGGESTED RETAIL

## ACCESSORIES

PR400	HT760/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Earpieces continued:					
			BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$53.00
			BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$53.00
			BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	\$51.00
			56517	Earpiece with In-Line PTT & Microphone	\$25.00
			56518	Earpiece with Boom Microphone	\$25.00
X			HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsically Safe (FM))	\$45.00
X			HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$36.00
X			RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
X			PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
X			HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
			HMN9004	Earbud (single wire - Receive only)	\$18.00
			HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	\$40.00
			PMLN4519	Earbud with Clip Microphone and PTT, Transmit and Receive - (2-wire - Intrinsically Safe (FM))	\$85.00
			BDN6781	Earbud, Receive Only (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$27.00
			BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$67.00
X			HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
	X	X	AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053, AAHMN9054 & AAHMN9057) - Intrinsically Safe (FM)	\$25.00
	X	X	AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	\$40.00
	X	X	AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$40.00
	X	X	RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053, AAHMN9054 & AAHMN9057)	\$58.00
	X	X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	\$340.00
X	X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X	X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X	X	X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
X	X	X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25

Date 1/9/06

## PROFESSIONAL PORTABLE

## SUGGESTED RETAIL

## ACCESSORIES

PR400	HT750/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Earpieces continued:</b>					
			PMLN4393	Flexible Ear Receiver with 2.5mm Plug (for use with Remote Speaker Microphone JMMN4073) - contains a flexible earloop and speaker that rests external to the ear	\$35.50
	X	X	ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	\$60.00
	X	X	WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	\$43.00
			BDN6719	Flexible Ear Receiver, Black - Earpiece without Volume Control - (flexible earloop & speaker that rests external to the ear)	\$35.00
X			BDN6720	(EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
X	X	X	RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X	RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X	RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
<b>Microphones:</b>					
	X	X	HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	\$57.75
	X	X	AAHMN9052	Remote Speaker Microphone with Coiled Cord & Swivel Clothing Clip - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$66.25
	X	X	HKN9055	Remote Speaker Microphone Replacement Cable	\$40.00
X			JMMN4073	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	\$85.00
			HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD)	\$73.50
	X	X	RMN5055	(PR400 - Intrinsically Safe (FM)) Heavy Duty Remote Speaker Microphone with 3.5mm Audio Jack	\$110.00
			NMN6193	Remote Speaker Microphone with coiled cord, swivel clothing clip and 3.5mm audio jack - Intrinsically Safe (FM)	\$87.25
			RMN5038	Remote Speaker Microphone with Emergency Button - Intrinsically Safe (FM)	\$120.00
<b>Ear Microphones and Accessories:</b>					
	X	X	AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip & 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$72.50
			NMN6191	Noise Cancelling Remote Speaker Microphone with coiled cord, swivel clothing clip & 3.5 mm audio jack - Intrinsically Safe (FM)	\$96.75
X	X	X	AAHMN9057	VHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch and Antenna (148-174 MHz Only) - Intrinsically Safe (FM)	\$86.25
X	X	X	AAHMN9054	UHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch & Antenna (450-470 MHz Only) - Intrinsically Safe (FM)	\$86.25
X	X	X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	\$198.00

Date 1/9/06

## PROFESSIONAL PORTABLE

## SUGGESTED RETAIL

## ACCESSORIES

PR400	HT750/HT1260	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Ear Microphones and Accessories continued:</b>					
	X	X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	\$198.00
	X	X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	\$247.00
X			BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsically Safe (FM))	\$461.00
X			BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX) (PR400 - Intrinsically Safe (FM))	\$524.00
			BDN6768	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$198.00
			BDN6769	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$198.00
			BDN6770	Ear Microphone, Gray (for high noise levels up to 105dB) - req. Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$247.00
			JMMN4064	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	\$347.00
	X	X	AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	\$284.00
	X	X	AARMN4045	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	\$347.00
X	X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	\$52.50
X	X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	\$159.00
			BDN6708	Ear Microphone Interface Module, PTT Operation Only - Intrinsically Safe (FM)	\$284.00
			BDN6671	Ear Microphone Interface Module with Selectable Switch for PTT or VOX Operation - Intrinsically Safe (FM)	\$347.00
<b>CommPort: Integrated Microphone/Receiver:</b>					
CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.					
	X	X	NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	\$344.00
	X	X	NTN1723	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsically Safe (FM)	\$370.00
	X	X	NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	\$370.00
	X	X	NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	\$378.00
	X	X	NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	\$485.00
			NTN1624	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsically Safe (FM)	\$370.00
			NTN1625	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	\$344.00
			NTN1663	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	\$370.00
			NTN1736	Integrated Ear Microphone / Receiver with Snap-on-Side PTT - Intrinsically Safe (FM)	\$378.00
	X	X	NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	\$53.00
	X	X	NKN6512	Replacement Ring PTT Cable for NTN1663 & NTN1724	\$60.25
	X	X	NKN6508	Replacement Cable for NTN1722 & NTN1625	\$34.50
	X	X	NKN6525	Replacement Snap-on-Side PTT Cable for NTN1736 & NTN1737	\$75.00

Date 1/9/06

## PROFESSIONAL PORTABLE

## SUGGESTED RETAIL

## ACCESSORIES

PR400	HT750/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>CommPort: Integrated Microphone/Receiver continued:</b>					
	X	X	AAHLN9717	Replacement Audio Adapter with 3.5mm jack for CommPort Integrated Microphone Receiver System	\$52.50
	X	X	NNTN4188	Replacement Remote PTT Body Switch	\$180.00
	X	X	NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	\$46.00
	X	X	NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	\$23.00
	X	X	NTN8988	Ear Straps (qty 10) for secure attachment to the ear	\$17.25
<b>Mag One Audio Accessories:</b>					
X			PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	\$18.00
X			PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	\$20.00
X			PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	\$26.00
X			PMLN4445	Mag One Headset with PTT/VOX Switch	\$30.00
X			PMMN4008	Mag One Remote Speaker Microphone	\$31.00
X			PMLN4294	Mag One Earbud with Microphone & PTT Combined	\$27.00
X			PMLN4658	Mag One D-Shell Earset with Boom Microphone with PTT/VOX Switch	\$28.50
X			PMLN4606	Mag One 2-Wire Surveillance Kit with Clear Acoustic Tube	\$43.00
X			PMLN4605	Mag One Clear Acoustic Tube	\$14.50
<b>Call Boxes:</b>					
Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.					
<b>A106.5 Call Boxes</b> - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.					
X	X	X	RRDN4588	Solar Powered	\$1,999.00
X	X	X	RRDN4589	AC/DC Powered	\$1,969.00
<b>A144 Call Boxes</b> - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.					
X	X	X	RRDN4590	Solar Powered	\$2,995.00
X	X	X	RRDN4591	AC/DC Powered	\$2,895.00
<b>A1 Call Boxes</b> - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.					
X	X	X	RRDN4362	Solar Powered	\$2,585.00
X	X	X	RRDN4363	AC/DC Powered	\$2,350.00
X	X	X	RRDN4364	Solar Powered with PVC Stanchion	\$2,850.00
X	X	X	RRDN4365	Solar Powered with Aluminum Stanchion	\$3,175.00
X	X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	\$2,975.00
<b>ACB Call Boxes</b> - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.					
X	X	X	RRDN4367	Solar Powered	\$2,695.00
X	X	X	RRDN4368	AC/DC Powered	\$2,550.00

Date 1/9/06

## SUGGESTED RETAIL

## PROFESSIONAL PORTABLE

## ACCESSORIES

PR400	HT750/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Call Boxes continued:</b>					
			<b>A1410 Call Boxes</b> - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10"H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.		
X	X	X	RRDN4369	Solar Powered	\$3,185.00
X	X	X	RRDN4370	AC/DC Powered	\$2,900.00
<b>MACPlus Call Boxes</b> - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center & is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.					
X	X	X	RRDN4371	Solar Powered	\$3,785.00
X	X	X	RRDN4372	AC/DC Powered	\$3,600.00
X	X	X	RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$1,450.00
<b>Antennas:</b>					
	X		NAB6064	LowBand Heliflex Antenna, 29.7-50 MHz	\$24.50
X	X	X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
	X	X	PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	\$13.25
X			HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
	X	X	PMAD4025	VHF Stubby Antenna, 150-161 MHz (Brown Color Code)	\$13.25
	X	X	PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	\$13.25
X			HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
	X	X	8504762J01	VHF Whip Antenna, 136-155 MHz (Red Color Code)	\$13.50
	X	X	NAD6579	VHF Whip Antenna, 148-161 MHz (Enhanced Performance, 7.5")	\$13.50
	X	X	PMAD4023	VHF Whip Antenna, 150-161 MHz (Brown Color Code)	\$13.50
	X	X	8504762J02	VHF Whip Antenna, 155-174 MHz (Black Color Code)	\$13.50
			8505644V01	VHF Helical Antenna, 136-150.8 MHz	\$16.50
			8505518V01	VHF Wideband Dipole 7.5", 136-174 MHz	\$24.00
			8505644V02	VHF Helical Antenna, 150.8-162 MHz	\$16.50
			8505644V03	VHF Helical Antenna, 162-178 MHz	\$16.50
X			NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
X			8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	\$12.25
	X	X	PMAE4002	UHF Stubby Antenna, 403-430 MHz (Green Color Code)	\$11.25
	X	X	PMAE4003	UHF Stubby Antenna, 430-470 MHz (Natural Color Code)	\$11.25
	X	X	PMAE4006	UHF Stubby Antenna, 465-490 MHz (Orange Color Code)	\$14.75
X	X	X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
			NAE6546_R	UHF Helical Antenna, 403-435 MHz	\$16.50
			NAE6547_R	UHF Helical Antenna, 435-470 MHz	\$16.50
			NAE6548_R	UHF Helical Antenna, 470-520 MHz	\$16.50
			NAE6549_R	UHF Helical Antenna, 403-520 MHz	\$21.50
<b>Retrofit Boards:</b>					
X	X		AAHLN9725	Voice Storage Option Board - Field Install Only	\$74.75
X	X		AAENLN4150	Mandown Option Board - Field Install Only	\$150.00
X	X	X	AAHLN9729	DTMF Decode Option Board - Field Install Only	\$104.00
X	X		HLN9984	DTMF & Keypad Retrofit Kit for HT750 - 16 Channel Models ONLY	\$79.25

Date 1/9/06

## SUGGESTED RETAIL

## PROFESSIONAL PORTABLE

## ACCESSORIES

PR400	HT750/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Service Accessories:</b>					
	X	X	H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX-LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$299.00
X			RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$199.00
			RVN5022	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - PR860. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses programming cables AARKN44074 (requires Radio Interface Box) or RKN4075 and must be purchased separately if required. <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$99.00
			RVN4181	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package Programs - PR1500 / MT1500 / XTS1500 / XTS2500 / XTS5000 / SSE5000. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses Ribless programming cables RKN4105 (USB) or RKN4106 (RS232) and must be purchased separately if required. <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$265.00
X			AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	\$50.00
	X	X	AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	\$63.00
			AAJMKN4123	Programming & Test Cable - Progr. cables require a Radio Interface Box (RIB).	\$150.00
			RKN4105	USB Programming Cable - uses RVN4181 CPS - No RIB Box required.	\$237.00
			RKN4106	RS232 Programming Cable - uses RVN4181 CPS - No RIB Box required.	\$251.00
X	X	X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	\$52.00
	X	X	RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	\$88.00
	X	X	AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	\$60.00
			53968	Cloning Cable	\$30.00
	X	X	RKN4073	Cloning Cable (Multi-Language manual)	\$43.00
			AAJMKN4124	Cloning Cable	\$125.00

Date 1/9/06

## PROFESSIONAL PORTABLE

## SUGGESTED RETAIL

## ACCESSORIES

	PR400	HT750/HT1250	HT1550-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Service Accessories continued:</b>						
	X	X	X	RLN4008	Radio Interface Box (RIB)	\$200.00
	X	X	X	0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	\$24.25
	X	X	X	RLN4460	Test Box for Portables and Mobiles	\$395.00
		X	X	RLN4510	7.5 Volt Universal Battery Eliminator	\$150.00
		X		AAHLN9742	Flash Upgrade Adapter - adapts either AARKN4074 or RKN4075 for use in flashing	\$56.00
	X			RLN5583	Flash Upgrade Adapter	\$99.75
				NTN2074	Mini Keyboard	\$45.00
<b>Manuals:</b>						
	X			6881096C24	PR400 Basic Service Manual	\$16.00
	X			6881096C25	PR400 Detailed Service Manual	\$25.00
				6881098C42	PR860 Basic Service Manual	\$15.00
				6881098C43	PR860 Detailed Service Manual	\$20.00
		X	X	6880906Z54-D	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Basic Service Manual	\$11.00
		X	X	6881088C46-E	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Detailed Service Manual	\$27.00
		X		6881089C97-O	HT750 User Manual	\$14.00
		X		6881088C37-O	HT1250 User Manual	\$14.00
				6881094C00-A	EX500 & EX600-XLS Basic Service Manual	\$10.00
				6881094C21-O	EX500 & EX600-XLS Detailed Service Manual	\$25.00
				HKLN4118	EX500 User Guide (English & French)	\$13.52
				6881094C09	PR1500/Astro Basic Service Manual	\$13.75
				6881094C10	PR1500/Astro Detailed Service Manual	\$31.75


Date 1/9/06

SUGGESTED RETAIL

PORTABLE


ACCESSORIES

Page 20




HNN9013\_R  
Li-ion, 1200 mAh,  
7.5V Battery

Page 21




HLN9665  
Leather Case with Belt Loop for  
NiMH & NiCd Batteries




HLN9694  
Leather DTMF Case with Swivel for  
NiMH & NiCd Batteries


Page 22



AAHTN3000  
120 Volt Single Unit Rapid  
Rate Charger




AAHTN3003  
120 Volt 6 Unit Rapid Rate  
Charger




RLN4883  
Travel Charger


Page 23



WPLN4107\_R  
Motorola Conditioning  
Charger Kit




RLN4814  
Vehicular Mounting Bracket




AAEN1006 / AAEN1007  
Vehicular Adapter

Page 24



AARMN4018  
Lightweight Single Muff Adjustable Headset with  
Swivel Boom Microphone & In-Line PTT



AARMN4031  
Lightweight Single Muff Adjustable  
Headset with Swivel Boom Microphone



## PORTABLE

## ACCESSORIES

Page 24




AARMN4019  
Medium Weight over-the-head Dual Muff  
Headset with Noise Cancelling Microphone &  
In-Line PTT

Page 25




AARMN4032  
Medium Weight over-the-head Dual Muff  
Headset with Noise Cancelling Microphone



RMN4048  
Temple Transducer

Page 26




AARMN4022 / AARMN4029  
2 Wire Surveillance Kit with  
Microphone & PTT - Combined

Page 27




AARMN4017  
Ultra-Light Headset with  
Boom Microphone

Page 28




RLN4941  
Receive-Only Earpiece

Page 29




AAHMN9052  
Remote Speaker  
Microphone

Page 29



AAHMN9057 / AAHMN9054  
Public Safety Speaker Microphone

Page 30



NTN1722  
Integrated Ear Microphone / Receiver  
System with PTT on Radio

Date 1/9/06

## SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): JMNN4025 (H236), PMNN4019_R (H236), HNN9010_R (Q390) and HNN9011_R (H236) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.						
<b>Batteries:</b>						
			X	JMNN4025_R	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM)	\$95.00
X	X	X		WPNN4045_R	NiMH, 1200 mAh, 7.5V Battery	
				NNTN4852	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (only comp. with WPLN4138_R & WPLN4161_R)	\$54.00
X				NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$110.00
		X		NNTN4503_R	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable	\$63.00
	X	X		HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	\$95.00
	X	X		HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$64.00
	X	X		HNN9009_R	NiMH, 1900 mAh, 7.5V Battery	\$115.00
X				NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	\$75.00
	X	X		HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$60.00
	X	X		HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)	\$111.00
X			X	JMNN4023_R	Slim Li-ion, 1000 mAh, 7.5V Battery	\$65.00
				NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$89.00
	X	X		JMNN4024_R	Li-ion, 1300 mAh, 7.5V Battery	\$105.00
				HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	\$108.00
X				NNTN4497_R	Li-ion, 1800 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	\$100.00
						\$85.00
<b>impres™ - Intelligent Motorola Portable Radio Energy System:</b>						
The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.						
	X	X		HNN4002	impres™, NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$125.00
	X	X		HNN4001	impres™, NiMH, 1900 mAh, 7.5V Battery	
	X	X		HNN4003	impres™, Li-ion, 2000 mAh, 7.5V Battery	\$82.00
						\$108.00
<b>Carry Cases &amp; Accessories:</b>						
			X	PMLN4521	Soft Leather Case with Fixed Swivel Clip & D-Rings (EX600-XLS models only)	
			X	PMLN4520	Hard Leather Case with Swivel Clip & D-Rings (EX600-XLS models only)	\$24.00
X				RLN5496	Leather DTMF Case with 2.5" Swivel (for use with Full Display models)	\$38.00
X				RLN5641	Leather DTMF Case with 2.5" Swivel (for use with Limited Display models)	\$45.00
X				RLN5497	Leather DTMF Case with 3" Swivel (for use with Full Display models)	\$45.00
X				RLN5642	Leather DTMF Case with 3" Swivel (for use with Limited Display models)	\$45.00
X				RLN5498	Leather DTMF Case with Belt Loop (for use with Full Display models)	\$45.00
X				RLN5640	Leather DTMF Case with Belt Loop (for use with Limited Display models)	\$39.00
	X			HLN9689	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with NiMH & NiCd Batteries)	\$39.00
	X			HLN9677	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with Li-ion Batteries)	\$51.00
		X		HLN9698	Leather DTMF Case with Belt Loop (for use with NiMH & NiCd Batteries)	\$51.00
	X			HLN9695	Leather DTMF Case with Belt Loop (for use with Li-ion Batteries)	\$51.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Carry Cases &amp; Accessories continued:</b>						
X				RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	\$39.00
	X			HLN9946	Leather Keypad Case with Belt Loop (Resale Packaging available through RPSD) (HT1250 & HT1250-LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	\$51.00
	X			HLN9945	Leather Keypad Case with Belt Loop (HT1250 & HT1250-LS+ Limited Keypad models - for use with Li-ion Batteries)	\$51.00
X				RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	\$45.00
X				RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	\$45.00
	X			HLN9998	Leather Keypad Case with Swivel (HT1250 & HT1250-LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	\$59.00
	X			HLN9955	Leather Keypad Case with Swivel (HT1250 & HT1250-LS+ Limited Keypad models - for use with Li-ion Batteries)	\$59.00
	X			HLN9694	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with NiMH & NiCd Batteries)	\$59.00
	X			HLN9690	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with Li-ion Batteries)	\$59.00
		X		HLN9700	Leather DTMF Case with Swivel (for use with NiMH & NiCd Batteries)	\$59.00
		X		HLN9699	Leather DTMF Case with Swivel (for use with Li-ion Batteries)	\$59.00
X	X	X		HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	\$24.00
			X	JMZN4023	Plastic Holster with Swivel Belt Clip	\$10.00
	X			HLN9844	2" Spring Belt Clip	\$11.50
X				RLN5644	2" Spring Action Belt Clip	\$6.00
	X			HLN9714	2.5" Spring Action Belt Clip	\$11.00
X				HLN8255	3" Spring Action Belt Clip	\$6.00
X				RLN4570	Break-Away Chest Pack	\$54.25
X				TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
X				TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
	X	X		RLN4815	Universal RadioPAK™ & Utility Case	\$45.00
	X	X		4280384F89	Universal RadioPAK™ Belt Lengthener, waist larger 40"	\$5.00
X	X	X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket (HT750, HT1250, HT1250-LS+ & HT1550-XLS - not compatible with UHF models)	\$38.00
	X	X	X	HLN9985	Waterproof Bag, includes large carrying strap	\$36.00
X	X	X	X	NTN5243	Shoulder Strap (for use with Cases with D-Rings)	\$20.00
<b>Microphones:</b>						
	X	X		AAHMN9052	Remote Speaker Microphone with Coiled Cord & Swivel Clothing Clip - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$66.25
	X	X		AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip & 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$72.50
	X	X		HKN9055	Remote Speaker Microphone Replacement Cable	\$40.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT4250-XLS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Microphones continued:</b>						
X				HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$73.50
			X	JMMN4073	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	\$85.00
		X		AAHMN9057	VHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch and Antenna (148-174 MHz Only) - Intrinsically Safe (FM)	\$86.25
	X	X		AAHMN9054	UHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch & Antenna (450-470 MHz Only) - Intrinsically Safe (FM)	\$86.25
<b>Ear Microphone System:</b>						
X				BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsically Safe (FM))	\$461.00
X				BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	\$524.00
			X	JMMN4064	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	
	X	X		BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	\$347.00
	X	X		BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	\$198.00
	X	X		BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	\$198.00
			X	BDN6768	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$247.00
			X	BDN6769	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$198.00
			X	BDN6770	Ear Microphone, Gray (for high noise levels up to 105dB) - req. Interface Module (EX500 & EX600-XLS - Intrinsically Safe (FM))	\$198.00
	X	X		AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	\$247.00
	X	X		AARMN4045	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM) (VOX operational only on conventional channel)	\$284.00
X	X	X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	\$347.00
X	X	X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	\$52.50
					impres™ - Intelligent Motorola Portable Radio Energy System Chargers:	\$159.00
The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with impres™ batteries.						
	X	X	X	WPLN4182	impres™ Single Unit Charger	
	X	X	X	WPLN4187	impres™ Multi Unit Charger	\$62.50
	X	X	X	WPLN4192	impres™ Multi Unit Charger with Display Modules - displays real-time for impres™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	\$495.00
	X	X		RLN5382	impres™ Charger Display Module - retrofitable on impres™ Multi Unit Chargers	\$650.00
						\$95.00

Date 1/9/06

## SUGGESTED RETAIL

# PROFESSIONAL TRUNKING

## PORTABLE ACCESSORIES

PR400	HT1260LS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Chargers &amp; Accessories:</b>						
X				WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	\$57.75
X				WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	\$27.00
X				WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	\$450.00
	X	X	X	AAHTN3000	120 Volt - Single Unit Rapid Rate Charger	\$56.75
	X	X	X	NLN7967	Wall Mount Kit for Multi-Unit Charger	\$21.00
	X	X		RLN4883	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket)	\$89.25
	X	X		RLN5233	Hard Wire Vehicular Charger (no Pac-RT functionality)	\$270.00
	X	X	X	WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	\$2,106.00
	X	X		RL-76345	Adapter Plate BOS I	\$115.00
			X	RL-77255	Adapter Plate for use with BOS and BOS II	\$115.00
	X	X		HLN9793	Charger Insert Spacer - Compatible with "A" version chargers ONLY	\$6.30
	X	X		HLN9794	Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY	\$6.30
<b>Battery Maintenance System (BMS):</b>						
	X	X	X	NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	\$499.00
	X	X		WPPN4080_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	\$120.00
	X	X	X	WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	\$650.00
			X	WPPN4096_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	\$120.00
	X	X		WPPN4079_R	BMS Battery Adapter (for use with NiCd & NiMH batteries)	\$80.00
<b>Conditioning Chargers &amp; Accessories:</b>						
	X	X		WPLN4107_R	Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.	\$70.00
	X	X		WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	\$399.00
	X	X		WPPN4082_R	Adapter Plate Only (for use with Motorola Conditioning Chargers)	\$15.00
	X	X		RLN4814	Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers	\$35.00
	X	X		3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	\$7.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Vehicular Adapters &amp; Accessories:</b>						
	X	X		AAEN1006	Vehicular Adapter - VHF (136-174 MHz) provides tri-chemistry charging, supports external speaker, includes microphone and can be used with an external mobile antenna (3dB gain antenna is recommended).	\$405.00
	X	X		AAEN1007	Vehicular Adapter - UHF (403-470 MHz) provides tri-chemistry charging, supports external speaker, includes microphone and can be used with an external mobile antenna (3dB gain antenna is recommended). (UHF conventional and LTR® only)	\$405.00
	X	X		ENKN4002	Programming Cable for VHF & UHF Vehicular Adapters (required when using external speaker and/or with LS radios)	\$143.00
	X	X		GSN6059	13 Watt External Speaker (HT1250•LS+ - not compatible with 200 & 700 MHz models)	\$71.50
	X			GKN6270	Power Cable with 10A Fuse (HT1250•LS+ - not compatible with 200 & 700 MHz models)	\$25.00
<b>Headsets &amp; Accessories:</b>						
X				HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$57.00
			X	NMN6245	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line Push-to-Talk Switch (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$149.00
	X	X		AARMN4018	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$100.00
	X	X		AARMN4031	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM) (VOX operational only on conventional channel)	\$65.00
			X	JMMN4066	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$115.00
X				RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$105.00
X				RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	\$125.00
	X	X		ENMN4012	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)	\$110.00
X				RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$60.00
			X	NMN6246	Ultra-Light Headset with Boom Microphone and In-Line Push-to-Talk, Earbud Style Receiver (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$129.00
	X	X		AARMN4017	Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM) (VOX operational only on conventional channel)	\$55.00
X				HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	\$230.00
X				BDN6647	Medium Weight Single Muff Headset with Boom Microphone (PR400 - Intrinsically Safe (FM))	\$151.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1260-XLS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Headsets &amp; Accessories continued:</b>						
X				HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	\$300.00
	X	X		ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$270.00
	X	X		AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$265.00
	X	X		AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$240.00
X				BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	\$525.00
			X	BDN6635	Heavy Duty Noise Cancelling Boom Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600-XLS - requires RKN4093)	\$906.00
			X	BDN6636	Heavy Duty Noise Cancelling Throat Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600-XLS - requires RKN4093)	\$857.00
			X	BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB	\$439.00
X	X	X	X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
X				RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	\$100.00
	X	X		RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	\$140.00
			X	RKN4093	Adapter Cable (use with RMN5015, BDN6645, BDN6635 & BDN6636 headsets)	\$105.00
	X	X		RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$175.00
			X	PMLN4585	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$175.00
	X	X		AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM) (VOX operational only on conventional channel)	\$525.00
	X	X		RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$225.00
	X	X		RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	\$330.00
	X	X		RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$330.00
	X	X		RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	\$199.00
X				REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	\$7.20
X				3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	\$4.05
X				5080371E66	Replacement Ear Pads for use with BDN6647	\$6.85

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1200-XLS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Earpieces:</b>						
	X	X		RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
	X	X		RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
X				RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
X				RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
X				RLN5198AP	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	\$125.00
	X	X		AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	\$100.00
	X	X		AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$100.00
			X	BDN6729	2-Wire Surveillance Kit with Microphone and PTT Combined, Black (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$114.00
			X	BDN6667	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$114.00
			X	BDN6731	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$118.00
			X	BDN6669	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$118.00
X				RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	\$114.00
X				HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$114.00
	X	X		ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsically Safe (FM)	\$165.00
	X	X		ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsically Safe (FM)	\$165.00
			X	BDN6730	3-Wire Surveillance Kit with Microphone and PTT Separate, Black (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$150.00
			X	BDN6668	3-Wire Surveillance Kit with Microphone and PTT Separate, Beige (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$150.00



Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250LS	HT1550XLS	EX600XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Earpieces continued:</b>						
			X	BDN6732	3-Wire Surveillance Kit with Microphone & PTT Separate with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$135.00
			X	BDN6670	3-Wire Surveillance Kit with Microphone and PTT Separate with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$135.00
X				HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsically Safe (FM))	\$45.00
X				HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$36.00
X				RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
X				PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
X				HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
X				HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
			X	PMLN4519	Earbud with Clip Microphone and PTT, Transmit and Receive - (2-wire - Intrinsically Safe (FM))	\$85.00
			X	BDN6781	Earbud, Receive Only (single wire) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$27.00
			X	BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$67.00
	X	X		AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053, AAHMN9054 & AAHMN9057) - Intrinsically Safe (FM)	\$25.00
	X	X		AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	\$40.00
	X	X		AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$40.00
	X	X		RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053, AAHMN9054 & AAHMN9057)	\$58.00
			X	BDN6726	Receive-Only Surveillance Kit, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$40.00
			X	BDN6664	Receive-Only Surveillance Kit, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$40.00
			X	BDN6727	Receive-Only Surveillance Kit with Extra Loud Earphone, Black (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$42.00
			X	BDN6665	Receive-Only Surveillance Kit with Extra Loud Earphone, Beige (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$42.00
			X	BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$53.00
			X	BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$53.00

Date 1/9/06

## SUGGESTED RETAIL

# PROFESSIONAL TRUNKING

## PORTABLE

## ACCESSORIES

PR400	HT1250-XLS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Earpieces continued:</b>						
	X	X	X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	\$340.00
X	X	X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X	X	X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X	X	X	X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
X	X	X	X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25
X				BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
	X	X		ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	\$60.00
	X	X		WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	\$43.00
			X	PMLN4393	Flexible Ear Receiver with 2.5mm Plug (for use with Remote Speaker Microphone JMMN4073) - contains a flexible earloop and speaker that rests external to the ear	\$35.50
			X	BDN6719	Flexible Ear Receiver, Black - Earpiece without Volume Control - (flexible earloop & speaker that rests external to the ear) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM))	\$35.00
X	X	X		RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X		RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X		RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X		RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X		RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X		RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
<b>General Accessories:</b>						
	X	X		HLN9820	Accessory Dust Cover	\$6.60
			X	JMLN4638	Accessory Dust Cover	\$6.00
	X	X	X	RLN4890	Assistive Turning Knobs	\$15.75
X				RLN5500	Accessory Retainer Clip	\$10.75
			X	PMLN4455	Audio Accessory Adapter (this allows use of the HT1000 3.5mm audio accessories as noted within the price pages) - Intrinsically Safe (FM)	\$43.50
<b>CommPort - Integrated Microphone/Receiver:</b>						
CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.						
X	X			NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	\$344.00
	X	X		NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	\$370.00
	X	X		NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	\$378.00
	X	X		NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	\$485.00
X	X			NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	\$46.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-XLS	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>CommPort - Integrated Microphone/Receiver continued:</b>						
X	X			NKN6508	Replacement Cable for NTN1722 & NTN1625	
X	X			NKN6525	Replacement Snap-on-Side PTT Cable for NTN1737	\$34.50
X	X			NNTN4188	Replacement Remote PTT Body Switch	\$75.00
X	X			NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	\$180.00
X	X			RLN5037	Replacement Ear Tubes (qty 10)	\$53.00
X	X			AAHLN9717	Replacement Audio Adapter with 3.5mm jack for CommPort Integrated Microphone Receiver System	\$26.00
X	X			NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	\$52.50
X	X			NTN8988	Ear Straps (qty 10) for secure attachment to the ear	\$23.00
<b>Mag One Audio Accessories:</b>						
X				PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	
X				PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	\$18.00
X				PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	\$20.00
X				PMLN4445	Mag One Headset with PTT/VOX Switch	\$26.00
X				PMMN4008	Mag One Remote Speaker Microphone	\$30.00
X				PMLN4294	Mag One Earbud with Microphone & PTT Combined	\$31.00
X				PMLN4658	Mag One D-Shell Earset with Boom Microphone with PTT/VOX Switch	\$27.00
X				PMLN4606	Mag One 2-Wire Surveillance Kit with Clear Acoustic Tube	\$28.50
X				PMLN4605	Mag One Clear Acoustic Tube	\$43.00
<b>Call Boxes:</b>						
Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.						
<b>A106.5 Call Boxes</b> - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.						
X	X	X	X	RRDN4588	Solar Powered	
X	X	X	X	RRDN4589	AC/DC Powered	\$1,999.00
<b>A144 Call Boxes</b> - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4" H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.						
X	X	X	X	RRDN4590	Solar Powered	
X	X	X	X	RRDN4591	AC/DC Powered	\$2,995.00
<b>A1 Call Boxes</b> - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.						
X	X	X	X	RRDN4362	Solar Powered	
X	X	X	X	RRDN4363	AC/DC Powered	\$2,585.00
X	X	X	X	RRDN4364	Solar Powered with PVC Stanchion	\$2,350.00
X	X	X	X	RRDN4365	Solar Powered with Aluminum Stanchion	\$2,850.00
X	X	X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	\$3,175.00
						\$2,975.00

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1260-XLS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Call Boxes continued:						
				ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.		
X	X	X	X	RRDN4367	Solar Powered	\$2,695.00
X	X	X	X	RRDN4368	AC/DC Powered	\$2,550.00
				A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.		
X	X	X	X	RRDN4369	Solar Powered	\$3,185.00
X	X	X	X	RRDN4370	AC/DC Powered	\$2,900.00
				MACPlus Call Boxes - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.		
X	X	X	X	RRDN4371	Solar Powered	\$3,785.00
X	X	X	X	RRDN4372	AC/DC Powered	\$3,600.00
X	X	X	X	RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$1,450.00
Antennas:						
X	X	X	X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
	X	X	X	PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	\$13.25
X				HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
	X	X	X	PMAD4025	VHF Stubby Antenna, 150-161 MHz (Brown Color Code)	\$13.25
	X	X	X	PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	\$13.25
X				HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
	X	X	X	8504762J01	VHF Whip Antenna, 136-155 MHz (Red Color Code)	\$13.50
	X	X	X	NAD6579	VHF Whip Antenna, 148-161 MHz (Enhanced Performance, 7.5")	\$13.50
	X	X	X	PMAD4023	VHF Whip Antenna, 150-161 MHz (Brown Color Code)	\$13.50
	X	X	X	8504762J02	VHF Whip Antenna, 155-174 MHz (Black Color Code)	\$13.50
	X			HKAD4000	200 MHz Helical Antenna, 216-225 MHz	\$13.50
X	X	X	X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
X				NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
X				8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	\$12.25
	X	X	X	PMAE4002	UHF Stubby Antenna, 403-430 MHz (Green Color Code)	\$11.25
	X	X	X	PMAE4003	UHF Stubby Antenna, 430-470 MHz (Natural Color Code)	\$11.25
	X	X	X	PMAE4006	UHF Stubby Antenna, 465-490 MHz (Orange Color Code)	\$14.75
	X			NAF5083	700 MHz 1/2 Wave Whip Antenna, 746-794 MHz	\$35.75

Date 1/9/06

SUGGESTED RETAIL

# PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX500-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Service Accessories:</b>							
X					RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$199.00
	X	X	X		H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX+LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$299.00
X					AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	\$50.00
	X	X			AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	\$63.00
			X		AAJMKN4123	Programming & Test Cable - Progr. cables require a Radio Interface Box (RIB).	\$150.00
X	X	X	X		RLN4008	Radio Interface Box (RIB)	\$200.00
X	X	X	X		3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	\$52.00
X	X	X	X		0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	\$24.25
X	X	X	X		RLN4460	Test Box for Portables and Mobiles	\$395.00
	X	X			RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	\$88.00
X					RLN5583	Flash Upgrade Adapter	\$99.75
	X	X			RKN4073	Cloning Cable (Multi-Language manual)	\$43.00
			X		AAJMKN4124	Cloning Cable	\$125.00
	X	X			RLN4510	7.5 Volt Universal Battery Eliminator	\$150.00
	X	X			AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	\$60.00
<b>Manuals:</b>							
X					6881096C24	PR400 Basic Service Manual	\$16.00
X					6881096C25	PR400 Detailed Service Manual	\$25.00
	X	X			6880906Z54-D	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Basic Service Manual	\$11.00
	X	X			6881088C46-E	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Detailed Service Manual	\$27.00
			X		6881094C00-A	EX500 & EX600-XLS Basic Service Manual	\$10.00
			X		6881094C21-O	EX500 & EX600-XLS Detailed Service Manual	\$25.00

Date 1/9/06

**MTX850™/MTX950™/MTX8250™/MTX9250™/  
MTX850-LS™/MTX8250-LS™  
PORTABLE ACCESSORIES**

**SUGGESTED RETAIL**

MTX850/MTX950/ MTX8250/MTX9250		MTX850-LS MTX8250-LS		MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): HNN9010_R (Q390) and HNN9011_R (H236) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.						
Batteries:						
X	X	WPNN4045_R	NiMH, 1200 mAh, 7.5V Battery			\$54.00
X	X	HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)			\$64.00
X	X	HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)			\$115.00
X	X	HNN9009_R	NiMH, 1900 mAh, 7.5V Battery			\$75.00
X	X	HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)			\$111.00
X	X	HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)			\$65.00
X	X	HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)			\$100.00
impres™ - Intelligent Motorola Portable Radio Energy System: The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.						
X	X	HNN4002	impres™, NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)			\$125.00
X	X	HNN4001	impres™, NiMH, 1900 mAh, 7.5V Battery			\$82.00
X	X	HNN4003	impres™, Li-ion, 2000 mAh, 7.5V Battery			\$108.00
Carry Cases:						
X	X	HLN9665	Leather Case with Belt Loop (MTX850, MTX950 & MTX850-LS - for use with NiMH & NiCd non-impres Batteries & all impres Batteries)			\$51.00
X	X	HLN9652	Leather Case with Belt Loop (MTX850, MTX950 & MTX850-LS - for use with Li-ion non-impres Batteries)			\$51.00
X	X	HLN9676	Leather Case with Swivel (Resale Packaging available through RPSD) (MTX850, MTX950 & MTX850-LS - for use with NiMH & NiCd non-impres Batteries and all impres Batteries)			\$59.00
X	X	HLN9670	Leather Case with Swivel (MTX850, MTX950 & MTX850-LS - for use with Li-ion non-impres Batteries)			\$59.00
X	X	HLN9689	Leather DTMF Case with Belt Loop (MTX8250, MTX9250 & MTX8250-LS - for use with NiMH & NiCd Batteries)			\$51.00
X	X	HLN9677	Leather DTMF Case with Belt Loop (MTX8250, MTX9250 & MTX8250-LS - for use with Li-ion Batteries)			\$51.00
X	X	HLN9694	Leather DTMF Case with Swivel (MTX8250, MTX9250 & MTX8250-LS - for use with NiMH & NiCd Batteries)			\$59.00
X	X	HLN9690	Leather DTMF Case with Swivel (MTX8250, MTX9250 & MTX8250-LS - for use with Li-ion Batteries)			\$59.00
X	X	HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)			\$24.00
X	X	HLN9714	2.5" Spring Action Belt Clip			\$11.00
impres™ - Intelligent Motorola Portable Radio Energy System Chargers: The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with impres™ batteries.						
X	X	WPLN4182	impres™ Single Unit Charger			\$62.50
X	X	WPLN4187	impres™ Multi Unit Charger			\$495.00
X	X	WPLN4192	impres™ Multi Unit Charger with Display Modules - displays real-time for impres™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.			\$650.00
X	X	RLN5382	impres™ Charger Display Module - retrofitable on impres™ Multi Unit Chargers			\$95.00

Date 1/9/06

SUGGESTED RETAIL

# MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850-LS™/MTX8250-LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250		MTX850-LS/ MTX8250-LS		MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Chargers & Accessories:						
X	X	AAHTN3000		120 Volt - Single Unit Rapid Rate Charger		\$56.75
X	X	NLN7967		Wall Mount Kit for Multi-Unit Charger		\$21.00
X	X	RLN4883		Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket)		\$89.25
X	X	RLN5233		Hard Wire Vehicular Charger (no Pac-RT functionality)		\$270.00
X	X	WPLN4124_R		Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.		\$2,106.00
X	X	RL-76345		Adapter Plate BOS I		\$115.00
X	X	HLN9793		Charger Insert Spacer - Compatible with "A" version chargers ONLY		\$6.30
X	X	HLN9794		Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY		\$6.30
Battery Maintenance System (BMS):						
X	X	WPLN4079_R		Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.		\$650.00
X	X	NDN4005		Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).		\$499.00
X	X	WPPN4079_R		BMS Battery Adapter (for use with NiCd & NiMH batteries)		\$80.00
X	X	WPPN4080_R		BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)		\$120.00
Conditioning Chargers and Accessories:						
X	X	WPLN4107_R		Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.		\$70.00
X	X	WPPN4065_R		Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)		\$399.00
X	X	WPPN4082_R		Adapter Plate Only (for use with Motorola Conditioning Chargers)		\$15.00
X	X	RLN4814		Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers		\$35.00
X	X	3080384G15		Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers		\$7.00
Headsets & Accessories:						
X	X	AARMN4018		Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)		\$100.00
X	X	AARMN4031		Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM)		\$65.00
X	X	AARMN4017		Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM)		\$55.00
X	X	ENMN4012		Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)		\$110.00

Date 1/9/06

## SUGGESTED RETAIL

**MTX850™/MTX950™/MTX8250™/MTX9250™/  
MTX850-LS™/MTX8250-LS™  
PORTABLE ACCESSORIES**

MTX850/MTX950/ MTX8250/MTX9250	MTX850-LS/ MTX8250-LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Headsets & Accessories continued:				
X	X	RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$175.00
X	X	ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$270.00
X	X	AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$265.00
X	X	AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$240.00
X	X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
X	X	RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	\$140.00
	X	AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM) (VOX operational only on conventional channel)	\$525.00
X	X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$225.00
X	X	RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	\$330.00
X	X	RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$330.00
X	X	RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	\$199.00
Earpieces:				
X	X	AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053) - Intrinsically Safe (FM)	\$25.00
X	X	RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
X	X	RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
X	X	AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$100.00
X	X	AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	\$100.00



Date 1/9/06

SUGGESTED RETAIL

# MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850-LS™/MTX8250-LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250		MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Earpieces continued:</b>				
X	X	ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsically Safe (FM)	\$165.00
X	X	ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsically Safe (FM)	\$165.00
X	X	AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	\$40.00
X	X	AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$40.00
X	X	RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053)	\$58.00
X	X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	\$340.00
X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X	X	RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	\$60.00
X	X	WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	\$43.00
<b>Microphones:</b>				
X	X	AAHMN9052	Remote Speaker Microphone with Coiled Cord & Swivel Clothing Clip - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$66.25
X	X	HKN9055	Remote Speaker Microphone Replacement Cable	\$40.00
X	X	AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip & 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$72.50

Date 1/9/06

SUGGESTED RETAIL

**MTX850™/MTX950™/MTX8250™/MTX9250™/  
MTX850-LS™/MTX8250-LS™  
PORTABLE ACCESSORIES**

MTX850/MTX950/ MTX8250/MTX9250	MTX850-LS MTX8250-LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Ear Microphone System:				
X	X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module	\$198.00
X	X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module	\$198.00
X	X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	\$247.00
X	X	AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	\$284.00
X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	\$52.50
X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	\$159.00
General Accessories:				
X	X	HLN9820	Accessory Dust Cover	\$6.60
X	X	RLN4890	Assistive Turning Knobs	\$15.75
CommPort: Integrated Microphone/Receiver				
CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.				
X	X	NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	\$344.00
X	X	NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	\$370.00
X	X	NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	\$378.00
X	X	NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	\$485.00
X	X	NNTN4188	Replacement Remote PTT Body Switch	\$180.00
X	X	NKN6508	Replacement Cable for NTN1722 & NTN1625	\$34.50
X	X	NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	\$53.00
X	X	NKN6525	Replacement Snap-on-Side PTT Cable for NTN1737	\$75.00
X	X	RLN5037	Replacement Ear Tubes (qty 10)	\$26.00
X	X	NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	\$46.00
X	X	NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	\$23.00
X	X	NTN8988	Ear Straps (qty 10) for secure attachment to the ear	\$17.25

Date 1/9/06

**MTX850™/MTX950™/MTX8250™/MTX9250™/  
MTX850-LS™/MTX8250-LS™**

SUGGESTED RETAIL

**PORTABLE ACCESSORIES**

MTX850/MTX950/ MTX8250/MTX9250		MTX850-LS MTX8250-LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Call Boxes:</b> Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.					
<b>A106.5 Call Boxes</b> - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.					
X	X		RRDN4588	Solar Powered	
X	X		RRDN4589	AC/DC Powered	\$1,999.00
<b>A144 Call Boxes</b> - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.					
X	X		RRDN4590	Solar Powered	
X	X		RRDN4591	AC/DC Powered	\$2,995.00
<b>A1 Call Boxes</b> - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.					
X	X		RRDN4362	Solar Powered	
X	X		RRDN4363	AC/DC Powered	\$2,585.00
X	X		RRDN4364	Solar Powered with PVC Stanchion	\$2,350.00
X	X		RRDN4365	Solar Powered with Aluminum Stanchion	\$2,850.00
X	X		RRDN4366	AC/DC Powered with Aluminum Stanchion	\$3,175.00
<b>ACB Call Boxes</b> - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.					
X	X		RRDN4367	Solar Powered	
X	X		RRDN4368	AC/DC Powered	\$2,695.00
<b>A1410 Call Boxes</b> - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.					
X	X		RRDN4369	Solar Powered	
X	X		RRDN4370	AC/DC Powered	\$3,185.00
<b>MACPlus Call Boxes</b> - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.					
X	X		RRDN4371	Solar Powered	
X	X		RRDN4372	AC/DC Powered	\$3,785.00
X	X		RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$3,600.00
					\$1,450.00

Date 1/9/06

SUGGESTED RETAIL

**MTX850™/MTX950™/MTX8250™/MTX9250™/  
MTX850-LS™/MTX8250-LS™  
PORTABLE ACCESSORIES**

MTX850/MTX950/ MTX8250/MTX9250		MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
<b>Antennas:</b>				
X	X	8505241U03	806-870 MHz Whip Antenna	\$35.75
X	X	8505241U06	806-941 MHz 1/4 Wave Stubby Antenna	\$25.50
X	X	8505241U04	896-941 MHz Whip Antenna	\$35.75
<b>Retrofit Boards:</b>				
	X	AAHLN9725	Voice Storage Option Board - Field Install Only	\$74.75
<b>Service Accessories:</b>				
X	X	H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX-LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. <b>Note: Software requires a license agreement and is not intended for resale.</b>	\$299.00
X	X	AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	\$63.00
X	X	RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	\$88.00
X	X	RLN4510	7.5 Volt Universal Battery Eliminator	\$150.00
X	X	AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	\$60.00
<b>Manuals:</b>				
X	X	6880906Z54-D	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Basic Service Manual	\$11.00
X	X	6881088C46-E	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Detailed Service Manual	\$27.00